

Amendment

Please enter the following Amendment:

In the Drawings:

Please amend FIG. 2 as shown in red.


Remarks

Applicants have noticed that within computer system 212 of FIG. 2, an element number "204" is erroneously present. Accordingly, Applicants are now submitting a new FIG. 2 without the incorrect element number. FIG. 2 is described in the Brief Description of the Drawings on page 6 of the specification and in the Detailed Description of Preferred Embodiments on pages 7 and 8 of the specification. Applicants assert that the corrected FIG. 2 does not constitute new matter because this drawing is clearly consistent with the description of FIG. 2 in the application as originally filed. Entry of the above amendment is respectfully requested.

Applicants have concurrently submitted a *Request to Approve Proposed Drawing Corrections* and one sheet of drawings containing the proposed correction to original FIG. 2, shown in red ink. The proposed changes add no new matter to this application.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.


Michael B. Ray
Attorney for Applicants
Registration No. 33,997

Date: 12/5/00
1100 New York Avenue, N.W., Suite 600
Washington, D.C. 20005-3934
(202) 371-2600
MBR/MPT/agj
P:\USERS\MTERRY\1778\011.0001\P99-59.wpd
SKGF Rev. 5/30/00

COMPUTER SYSTEM 212




FIG. 2